


Legend
50m Section Lines
Patent Boundaries
475500
476000
476500
477000
5143000
5142500
5142000
475750
475800
475850
475900
475950
476000
476050
476100
476150
476200
476250
476300
476350
476400
476450
476500
476550
476600
476650
476700
476750
Lockerby Mine
Ellen Pit
0
100
200
300
400
500 m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	475950 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



SPC NICKEL

GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476000 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:


REF. PT. E, N	476050 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000 (m)

AZIMUTH = 0°

*unknown

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476100 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476150 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476200 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476250 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	328.4 m	-205.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



SPC NICKEL

GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476300 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000 (m)


-5 0 5 10 15 20 25 30

*unknown

AZIMUTH = 0°

N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476350 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	


SCALE 1 : 1000 (m)

-5 0 5 10 15 20 25 30

*unknown

AZIMUTH = 0°

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476400 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



SPC NICKEL

GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476450 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000 (m)


-5 0 5 10 15 20 25 30

*unknown

AZIMUTH = 0°

N W E S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476500 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	


SCALE 1 : 1000 (m)

-5 0 5 10 15 20 25 30

*unknown

AZIMUTH = 0°

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476550 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	


SCALE 1 : 1000


(m) -5 0 5 10 15 20 25 30

*unknown

AZIMUTH = 0°

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m


300 RL
200 RL
100 RL
0 RL
-100 RL
-200 RL
5142300 N
5142400 N
5142500 N
5142600 N
5142700 N
5142800 N
5142900 N
FNI2027
FNI2018
WG-23-081
WG-23-082
FNI2012
WG-22-015
FNI2017
FNI2026
FNI2016
GRA-27A
100 m
200
300 m
300
400
3000
4000
5500
GEOLOGY
Sudbury Basin
Creighton Granite
Quartz Diabase
Olivine Diabase
BAR GRAPHS NiEq wt.%
RANGE
1.0%
0.7%
0.5%
0.3%
0.1%
GRADE ISOSHELL
0.3 to 0.5% NiEq.
>0.5% NiEq.
SECTION SPECS:
REF. PT. E, N 476600 m 5142600 m
EXTENTS 697.4 m 533.5 m
SECTION TOP, BOT 303.4 m -230.1 m
TOLERANCE +/- 25 m
SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown
AZIMUTH = 0°
N
W
E
S
SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476650 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.


SECTION SPECS:

REF. PT. E, N	476700 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m



SPC NICKEL

GEOLOGY
- Sudbury Basin
- Creighton Granite
- Quartz Diabase
- Olivine Diabase

BAR GRAPHS NiEq wt.% — RANGE
- 1.0%
- 0.7%
- 0.5%
- 0.3%
- 0.1%

GRADE ISOSHELL
- 0.3 to 0.5% NiEq.
- >0.5% NiEq.

SECTION SPECS:

REF. PT. E, N	476750 m	5142600 m
EXTENTS	697.4 m	533.5 m
SECTION TOP, BOT	303.4 m	-230.1 m
TOLERANCE +/-	25 m	

SCALE 1 : 1000
(m)
-5 0 5 10 15 20 25 30
*unknown

AZIMUTH = 0°
N
W E
S

SPC Nickel
West Graham Deposit
N-S Section, Looking West
Width 50m