

Complete assay results from the 2024 drill program on the West Graham Project.

HOLE ID	From (m)	To (m)	Length (m) <sup>1</sup>	Ni (%)	Cu (%)	Co (%)	Pt (g/t)	Pd (g/t)	Au (g/t)	Ag (g/t)
WG-24-086	10.00	40.00	30.00	0.46	0.25	0.01	0.05	0.02	0.01	1.84
WG-24-087	10.00	51.00	41.00	0.63	0.24	0.02	0.04	0.02	0.02	1.41
including	<b>32.00</b>	<b>48.00</b>	<b>16.00</b>	<b>1.05</b>	<b>0.30</b>	<b>0.03</b>	<b>0.06</b>	<b>0.02</b>	<b>0.03</b>	<b>1.82</b>
WG-24-088	9.05	47.00	37.95	0.87	0.32	0.03	0.05	0.02	0.02	1.95
including	<b>13.00</b>	<b>42.00</b>	<b>29.00</b>	<b>1.03</b>	<b>0.34</b>	<b>0.04</b>	<b>0.05</b>	<b>0.03</b>	<b>0.02</b>	<b>1.98</b>
including	<b>20.00</b>	<b>36.00</b>	<b>16.00</b>	<b>1.41</b>	<b>0.33</b>	<b>0.05</b>	<b>0.03</b>	<b>0.01</b>	<b>0.06</b>	<b>1.75</b>
WG-24-089	3.50	21.00	17.50	0.55	0.40	0.02	0.07	0.02	0.02	2.34
WG-24-090	2.80	18.00	15.20	0.52	0.33	0.02	0.04	0.04	0.02	1.84
WG-24-091	2.80	19.00	16.20	0.65	0.38	0.02	0.06	0.02	0.03	2.22
including	<b>2.80</b>	<b>12.00</b>	<b>9.20</b>	<b>0.81</b>	<b>0.36</b>	<b>0.03</b>	<b>0.07</b>	<b>0.02</b>	<b>0.02</b>	<b>2.24</b>
WG-24-092	1.15	36.00	34.85	0.75	0.24	0.03	0.04	0.02	0.01	1.21
including	<b>15.00</b>	<b>27.00</b>	<b>12.00</b>	<b>1.15</b>	<b>0.29</b>	<b>0.04</b>	<b>0.06</b>	<b>0.03</b>	<b>0.01</b>	<b>1.38</b>
WG-24-093	14.00	33.00	19.00	0.76	0.24	0.03	0.04	0.02	0.02	1.98
WG-24-094	2.00	28.00	26.00	0.54	0.28	0.02	0.03	0.02	0.01	1.62
including	<b>14.00</b>	<b>23.00</b>	<b>9.00</b>	<b>0.81</b>	<b>0.36</b>	<b>0.03</b>	<b>0.03</b>	<b>0.02</b>	<b>0.02</b>	<b>1.97</b>
WG-24-095	17.00	23.00	6.00	0.51	0.29	0.02	0.05	0.02	0.03	1.58
WG-24-096	3.00	19.00	16.00	0.73	0.26	0.03	0.04	0.02	0.02	1.34
WG-24-097	4.00	26.00	22.00	0.46	0.32	0.02	0.07	0.02	0.03	2.01
WG-24-098	1.00	33.00	32.00	0.51	0.31	0.02	0.06	0.02	0.02	1.53
including	<b>20.00</b>	<b>29.00</b>	<b>9.00</b>	<b>0.72</b>	<b>0.37</b>	<b>0.02</b>	<b>0.08</b>	<b>0.02</b>	<b>0.02</b>	<b>1.78</b>
WG-24-099	7.00	48.00	41.00	0.46	0.21	0.02	0.04	0.02	0.01	1.00
including	<b>37.00</b>	<b>43.00</b>	<b>6.00</b>	<b>0.88</b>	<b>0.21</b>	<b>0.03</b>	<b>0.06</b>	<b>0.02</b>	<b>0.01</b>	<b>1.15</b>
WG-24-100	11.30	46.00	34.70	0.35	0.19	0.01	0.03	0.01	0.02	1.24
including	37.00	43.00	6.00	0.64	0.31	0.02	0.07	0.02	0.03	1.95
WG-24-101	14.00	58.00	44.00	0.53	0.18	0.02	0.04	0.01	0.01	1.28
including	<b>35.00</b>	<b>49.70</b>	<b>14.70</b>	<b>0.83</b>	<b>0.19</b>	<b>0.03</b>	<b>0.05</b>	<b>0.02</b>	<b>0.01</b>	<b>1.52</b>
WG-24-102	13.50	43.50	30.00	0.65	0.29	0.02	0.03	0.02	0.02	1.79
including	<b>16.50</b>	<b>19.50</b>	<b>3.00</b>	<b>1.59</b>	<b>0.15</b>	<b>0.06</b>	<b>0.04</b>	<b>0.02</b>	<b>0.004</b>	<b>1.10</b>
WG-24-103	15.00	36.00	21.00	0.24	0.16	0.01	0.02	0.01	0.01	1.06
WG-24-104	33.00	49.50	16.50	0.33	0.18	0.01	0.02	0.01	0.01	1.01
WG-24-105	21.00	42.00	21.00	0.47	0.28	0.02	0.03	0.01	0.02	1.52
WG-24-106	39.00	61.20	22.20	0.54	0.27	0.02	0.03	0.02	0.02	1.64
including	<b>54.00</b>	<b>61.20</b>	<b>7.20</b>	<b>0.77</b>	<b>0.40</b>	<b>0.03</b>	<b>0.04</b>	<b>0.02</b>	<b>0.02</b>	<b>2.16</b>
WG-24-107	55.50	102.00	46.50	0.59	0.32	0.02	0.03	0.02	0.02	1.81
including	<b>69.00</b>	<b>75.00</b>	<b>6.00</b>	<b>1.11</b>	<b>0.31</b>	<b>0.04</b>	<b>0.03</b>	<b>0.02</b>	<b>0.02</b>	<b>1.23</b>
WG-24-108	25.50	40.50	15.00	0.47	0.17	0.02	0.02	0.01	0.01	0.88
including	<b>68.00</b>	<b>78.00</b>	<b>10.00</b>	<b>1.04</b>	<b>0.50</b>	<b>0.03</b>	<b>0.07</b>	<b>0.02</b>	<b>0.02</b>	<b>2.57</b>
including	<b>70.50</b>	<b>73.50</b>	<b>2.00</b>	<b>1.61</b>	<b>0.34</b>	<b>0.05</b>	<b>0.06</b>	<b>0.01</b>	<b>0.01</b>	<b>1.65</b>
WG-24-109	72.90	118.50	45.60	0.78	0.38	0.03	0.08	0.02	0.03	2.00
including	<b>79.50</b>	<b>97.50</b>	<b>18.00</b>	<b>1.17</b>	<b>0.37</b>	<b>0.04</b>	<b>0.07</b>	<b>0.03</b>	<b>0.03</b>	<b>1.57</b>
Including	<b>85.50</b>	<b>96.00</b>	<b>10.50</b>	<b>1.46</b>	<b>0.32</b>	<b>0.05</b>	<b>0.09</b>	<b>0.03</b>	<b>0.04</b>	<b>1.40</b>
and	<b>106.50</b>	<b>110.82</b>	<b>4.32</b>	<b>1.16</b>	<b>0.52</b>	<b>0.04</b>	<b>0.23</b>	<b>0.03</b>	<b>0.05</b>	<b>3.01</b>
WG-24-110	37.50	66.00	28.50	0.46	0.26	0.02	0.04	0.02	0.02	1.48
WG-24-111	31.50	58.50	27.00	0.41	0.24	0.01	0.04	0.02	0.02	1.46

including	54.00	58.50	4.50	0.75	0.48	0.02	0.08	0.04	0.05	2.70
<b>WG-24-112</b>	18.00	67.50	49.50	0.35	0.22	0.01	0.04	0.02	0.01	1.43
and	<b>84.00</b>	<b>91.50</b>	<b>7.50</b>	<b>0.93</b>	<b>0.37</b>	<b>0.03</b>	<b>0.12</b>	<b>0.04</b>	<b>0.03</b>	<b>2.36</b>
<b>WG-24-113</b>	<b>3.00</b>	<b>10.50</b>	<b>7.50</b>	<b>0.87</b>	<b>0.32</b>	<b>0.03</b>	<b>0.09</b>	<b>0.02</b>	<b>0.03</b>	<b>1.98</b>
<b>WG-24-114</b>	1.35	4.50	3.15	0.58	0.44	0.04	0.07	0.27	0.03	2.87
<b>WG-24-115</b>	<b>No significant mineralization</b>									
<b>WG-24-116</b>	1.50	36.00	34.50	0.58	0.45	0.02	0.06	0.03	0.02	2.60
including	<b>10.50</b>	<b>22.50</b>	<b>12.00</b>	<b>0.81</b>	<b>0.77</b>	<b>0.03</b>	<b>0.07</b>	<b>0.05</b>	<b>0.03</b>	<b>3.74</b>
and	43.50	52.50	9.00	0.51	0.37	0.02	0.07	0.02	0.03	2.22
<b>WG-24-117</b>	18.00	33.00	15.00	0.48	0.31	0.02	0.05	0.02	0.02	1.69
<b>WG-24-118</b>	9.00	22.50	13.50	0.66	0.28	0.02	0.06	0.02	0.02	1.80
including	<b>19.5</b>	<b>22.5</b>	<b>3.00</b>	<b>1.67</b>	<b>0.19</b>	<b>0.05</b>	<b>0.06</b>	<b>0.04</b>	<b>0.02</b>	<b>1.60</b>
<b>WG-24-119</b>	51.00	66.00	15.00	0.53	0.42	0.02	0.07	0.03	0.03	2.57
<b>WG-24-120</b>	51.00	57.00	6.00	0.63	0.43	0.02	0.09	0.10	0.03	2.38
<b>WG-24-121</b>	91.50	103.50	12.00	0.52	0.36	0.02	0.10	0.03	0.03	2.26

**Notes:** 1. Length refers to downhole length.